

LSOA II LINKED MORTALITY FILE

Tabular data

Table 1: Number of survey participants by mortality followup, eligibility status and NDI match status: LSOA II

Sample Total	Eligibility Status		NDI Match Status
	Eligible	Ineligible, insufficient data	Assumed deceased
9,447	9,423	24	3,958

LSOA II LINKED MORTALITY FILE

Tabular data

Table 2: Number of 'assumed' deaths by year of death¹

Year of Death	Total Deaths
1994	8
1995	218
1996	513
1997	504
1998	500
1999	573
2000	554
2001	519
2002	545
9999	24

¹The total number of 'assumed' deaths for each survey year is equal to the total number of records for each survey that have a value of '1' (assumed deceased) for the variable MORTSTAT.
9999 - missing year of death

LSOA II LINKED MORTALITY FILE

Tabular data

Table 3: Percent of missing data for eligible respondents by sex

MALE	TOTAL
First Name ¹	0.0
Middle Name ^{1,2}	22.9
Last Name ¹	0.0
SSN ^{1,3}	4.4
Date of Birth ¹	0.8
Father's Surname ¹	2.0
Race	0.9
Marital Status	0.0
Sex	0.0
State of Birth	1.4
State of Residence	100.0

Female	TOTAL
First Name ¹	0.0
Middle Name ^{1,2}	21.4
Last Name ¹	0.0
SSN ^{1,3}	6.8
Date of Birth ¹	0.8
Father's Surname ¹	2.8
Race	1.3
Marital Status	0.0
Sex	0.0
State of Birth	1.4
State of Residence	100.0

¹ Name, SSN, Date of Birth are used to select potential match records. All variables are utilized by the probabilistic scoring algorithm.

² Blank middle initial is considered a valid code.

³ SSN: Social Security Number